MATERIAL SAFETY DATA SHEET

SECTION 1 – PRODUCT IDENTIFICATION

Product Name: GS-200	Formula: Proprietary	WHMIS Rating (Based on Aerosol			
		Conc.)			
Product Number: 26611	Date Prepared: Jan. 28/09	0-Minimal 1-Slight 2- Moderate			
Product Type: AEROSOL		3- Serious 4-Extreme			
Supplier's Name: DEK Canada Inc.		HEALTH: 1 FIRE: 2 REACTIVITY: 1			
1928 St-Regis Blvd, Dorval, Qc	PHONE : (514) 685-5800	Personal Protection: B			
H9P 1H6					
TDG: CONSUMER COMMODITY. ORM-D WHMIS: CLASS A; CLASS D – Div 2B					

SECTION 2 – HAZARDOUS INGREDIENTS

CHEMICAL NAME	CAS#	%WT	TWA/TLV	LD 50	LC 50
Aliphatic Mineral Spirits	64741-65-7	10-20	100 ppm	N/D	N/D
Aromatic Hydrocarbon	108-88-3	01-05	100 ppm	2500 mg/kg Oral Rat	8000 ppm Rat 4 hr
Liquified Petroleum Gas	68476-85-7	20-40	1000 ppm	N/D	

Vapor Density(Air=1):>1

Specific Gravity (H2O=1)@20°C: 0.877

SECTION 3 - PHYSICAL DATA

Data Below Based On Aerosol Concentrate Only:

Boiling Point ~54°C

pH: N/A

Solubility in Water: Soluble

Appearance/Odor: Milky White Lotion/ Slight Petroleum Odor

Data Below Based On Total Contents: Vapor Pressure of can (psig @20°C): 90

Total VOC (Volatile Organic Compound) % ~ 75%

SECTION 4 - FIRE AND EXPLOSION DATA

Flash Point (of Concentrate Only): 42°C- (T.O.C) Flammability (Flame Projection Test): Flammable spray Extinguishing Media: Foam, CO2, Dry Media

Special Fire Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Cool fire exposed containers to prevent rupturing.

Unusual Fire and Explosion Hazards: Exposure to temperature above 49°C may cause bursting.

SECTION 5 – REACTIVITY DATA

Stability: Material Stable. Hazardous Polymerization: Will not occur.

Incompatibility: Avoid contact with strong oxidizing agents.

Hazardous Decomposition Products: Carbon Dioxide, Carbon Monoxides.

Continued On Next Page

GS-200 1

SECTION 6 – STORAGE AND HANDLING

KEEP OUT OF REACH OF CHILDREN.

For Industrial and Institutional use only.

Store in a cool, dry area away from heat or open flame.

Do not store at temperatures above 49°C.

SECTION 7 – HEALTH AND FIRST AID

PRIMARY ROUTES OF ENTRY & EFFECTS OF OVER EXPOSURE:

Eyes: May cause slight irritation but does not injure eye tissue.

Skin: Frequent or prolonged contact may cause irritation. Avoid all contact with open wounds.

Inhalation: Inhalation of mist can cause irritation of nasal and respiratory passages. Abusive or excessive inhalation may cause irritation to the upper respiratory tract, dizziness, nausea and other central nervous system effects

Ingestion: No effect if ingested in small amounts. Relative to other materials a single dose of this product is rarely toxic by ingestion. Irritation of the mouth, pharynx, esophagus and stomach can develop following ingestion.

Carcinogenicity: Not hazardous by WHMIS Criteria; Reproductive Effects – N/D; Teratogenicity – N/D; Synergistic Materials –N/D

FIRST AID PROCEDURES:

Eyes: Flush with a large amounts of cool running water for at least 15 minutes while holding upper and lower lids open. If irritation persists get medical attention immediately.

Skin: Wash with soap and water. If irritation persists seek medical attention.

Inhalation: Remove to fresh air. Seek medical attention immediately. If breathing stops give artificial respiration.

Ingestion: Do not induce vomiting. Seek medical attention immediately.

Emergency Phone: Please contact the local authorities.

SECTION 8 - SPECIAL PROTECTION DATA

Respiratory Protection: None needed for proper use in accordance with label directions.

Ventilation: Provide local exhaust to keep TLV of Section II ingredients below acceptable limits.

Protective Gloves: None needed for proper use in accordance with label directions. Use chemical resistant gloves if hand contact will be made.

Eye Protection: None needed unless it is anticipated that a splash of spray back will occur, then wear safety glasses or chemical proof goggles.

SECTION 9 - SPILL OR LEAK PROTECTION

STEPS TO BE TAKE IN CASE OF SPILL OR LEAK: Allow propellant to evaporate. Maintain local exhaust and adequate ventilation. No smoking. Keep sparks, heat sources and open flame far away from spill or leak. Cover with absorbent material and sweep up. Wash area to prevent slipping. Dispose of soaked absorbent material in accordance with Federal, Provincial and local laws.

WASTE DISPOSAL METHOD: Aerosol cans, when emptied and depressurized through normal use, pose no disposal hazard and should be recycled. Consult Federal, Provincial and local authorities for approved procedures.

N/A= NOT APPLICABLE N/E=NOT ESTABLISHED N/D=NOT DETERMINED <=LESS THAN >=MORE THAN

NOTICE: The information contained on this Material Safety Data Sheet is considered accurate as of the date of publication. It is not necessarily all inclusive nor fully adequate in every circumstances. The suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements. No warranty, express or implied, of merchantability, fitness, accuracy of data, or the results to be obtained from the use thereof is made. The vendor assumes no responsibility for injury or damages resulting from the inappropriate use of this product.

GS-200 2