MATERIAL SAFETY DATA SHEET

SECTION 1 -PRODUCT IDENTIFICATION AND USES

Product Name	JET AIR (CH300)
Synonyms	Not available.
Chemical Name	1,1,1,2-Tetrafluoroethane
Chemical Formula	CF3CH2F
Chemical Family	Hydrofluorocarbons
Supplier	DEK Canada Inc.
	1928 St-Regis Blvd., Dorval, Quebec
	H9P 1H6 Phone: 514-685-5800
Material Uses	Blows away dust and dirt from delicate or hard to reach places.

SECTION 2 - HAZARDOUS INGREDIENTS

Name	CAS#	% by weight	LC ₅₀ /LD ₅₀
1) 1,1,1,2-Tetrafluoroethane	811-97-2	100	GAS (LC50) ppm: Acute 50000 (Rat) (4 hours)

SECTION 3 -PHYSICAL DATA

Physical State and	Gas (Liquified).
Appearance	
pH (1% Soln/Water)	Not available.
Odor Threshold	Not available.
Volatility	Not available.
Evaporation Rate	Not available.
Melting Point	Not available.
Boiling Point	Not available.
Density	1.210 (Water = 1)
Vapor Density	3.52 (Air = 1)
Vapor Pressure	96.16 psia @ 25°C (77°F) based on data for: 1,1,1,2 –Tetrafluoroethane
LogK _{ow}	Not available.
Ionicity (Surface Active	Not available.
Agent)	
Critical Temperature	Not available.
Instability Temperature	Not available.
Conditions of Instability	No additional remark.
Dispersion Properties	Not available.
Solubility	Very slightly soluble in cold water.

SECTION 4 -FIRE AND EXPLOSION DATA

The Product is:	Non-flammable Aerosol.
Auto-Ignition	Not applicable.
Temperature	
Products of Combustion	These products are carbon oxides (CO, CO2) and hydrogen fluoride.
Flash Points	Not applicable.
Flammable Limits	Not applicable.
Extinguishing Media	Cool containing vessels with water spray in order to prevent pressure build-up
	or explosion.
	Self contained respiratory protection should be provide for firefighters.
Flammability	The flammability of an aerosol by WHMIS definition is determined by its flame-
	extension or its flashback. The flame-extension of this product is 0 cm. Cana-
	dian NFC, Level 1 Aerosol.
Risks of Explosion	Risks of explosion of the product in presence of mechanical impact: Do Not
	subject aerosol containers to impact.
	Risks of explosion of the product in presence of static discharge: Not available
	Container may explode if heated.

Continued on Next Page

CH 300 (JET AIR)

SECTION 5- REACTIVITY	
Stability	The product is stable.
Hazardous Decom-	These products are carbon oxides (CO, CO2) and hydrogen fluoride.
position Products	
Degradability	Not available.
Products of Degradation	Not available.
Corrosivity	No specific information is available in our database regarding the corrosivity of
	this product in presence of various materials.
Reactivity	Avoid contact with strong oxidizing agents, strong alkalies and alkaline earth me-
	tals, particularly finely powdered metals such as aluminium, magnesium or zinc.
	Keep away from open flame, extremely hot metal surfaces, heating elements
	and combustion engines.
Instability Temperature	Not available.
Conditions of Instability	No additional remark.

SECTION 6-TOXICOLOGICAL PROPERTIES

Routes of Entry	Inhalation.
TLV	1,1,1,2 -Tetrafluoroethane
	TWA: 1000 (ppm)
	TWA: 4240 (mg/m ³)
	Consult local authorities for acceptable exposure limits.
Toxicity to Animals	WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS
	OF A 4-HOUR EXPOSURE.
	Acute toxicity of the gas (LC50): > 5000 ppm (1,1,1,2 –Tetrafluoroethane)
Chronic Effects on	Not available.
Humans	
Acute Effects on	EYE CONTACT: May cause frostbite.
Humans	SKIN CONTACT: May cause frostbite.
	INHALATION: Vapour of this product is heavier than air and can cause suffoca-
	tion by reducing oxygen available for breathing. High concentrations of
	vapour may cause light headedness, giddiness, shortness of breath.
	INGESTION: May cause frostbite to the mouth.
	THIS PRODUCT CAN CAUSE SEVERE FROSTBITE IF IT ACCIDENTALLY
	COMES IN CONTACT WITH SKIN, EYES OR OTHER TISSUE.
Synergetic Products	Not available.
(Toxicologically)	
Irritation/Corrosivity	See acute effects on humans.
Sensitization	In rare cases, 1,1,1,2- Tetrafluoroethane may sensitize heart muscle causing
	cardiac arrhythmia.
Carcinogenic Effects	The ingredients of this product have not been listed as carcinogens by the
	National Toxicology Program (NTP).
Toxic Effects on	Not available.
Reproduction	
Teratogenic Effects	Not available.
Mutagenic Effects	Not available.

SECTION 7 – PREVENTIVE MEASURES

Small Spill and Leak	Not applicable.
Personal Protective	Avoid contact with skin and eyes.
Equipment	
Large Spill and Leak	Not applicable for aerosol containers.
Protective Clothing	Not applicable for aerosol containers.
Engineering Clothing	Use with adequate ventilation.
Precautions	Contents under pressure. Container may explode if heated. Direct skin contact
	with spray may cause frostbite. Keep out of reach of children.
Storage	Store in a cool, well-ventilated place. Do not place in hot water or near radia-
	tors, stoves or other sources of heat. Do not puncture or incinerate container
	or store at temperatures over 50°C or in direct sunlight.
Handling	Deliberate inhalation of contents can be extremely dangerous. If you feel un-

Continued on Next Page

CH 300 (JET AIR)

	well, seek medical advice (show the label when possible). Avoid contact with skin and eyes.
Waste Disposal	Recycle to process,if possible. Consult your local or regional authorities. Do not dispose in sewers. When container is empty, press button to release all pressure, then dispose of in garbage can.
Special Shipping Information	None.

SECTION 8 – FIRST AID		
Eye Contact	IMMEDIATELY flush eyes with lukewarm running water for at least 15 minu-	
	tes keeping eyelids open. Seek immediate medical advice.	
Skin Contact	Flush IMMEDIATELY WITH WARM WATER, SEEK IMMEDIATE MEDICAL	
	ATTENTION. Treat for frostbite if necessary.	
Hazardous Skin Contact	No additional information.	
Slight Inhalation	Remove affected person to fresh air. Get medical attention.	
Hazardous Inhalation	No additional Information.	
Slight Ingestion	Contact with the mouth or any other tissue can cause severe frostbite. Get medical attention immediately	

SECTION 9 – MSDS PREPARATION	
References	No additional information.
No additional remark	(
Validated by DEK 0	Canada Inc. February 01/12
Emergency: Please contact the Local Authorities or Poison Control Center	

CLASSIFICATION

TDG Road/ Rail	Consumer Commodity.
	Permit for equivalent Level of Safety: TC – SU 5096
WHMIS	WHMIS CLASS A: Compressed gas.

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

CH 300 (JET AIR) 3